


	DIN 931	ISO 4014			8.8
--	----------------	-----------------	--	--	------------

Standard withdrawn



BN 61
Hex head bolts
partially threaded
Steel 8.8
hot dip galvanized
<ul style="list-style-type: none"> • ~UNI 5737 • ~CSN 021101

M10; M12: wrench size according to ISO on request

Article#	d ₁	e	k	s	b	L
5317898	M8	14,38	5,3	13	22	35
1137220						40
5053463						45
1137247						50
1137255						60
1137263						70
1053825						80
5402685						100
1137271	M10	18,9	6,4	17	26	40
1137298						45
1053930						50
1053949						60
5402687						65
1053957						70
5402688						(75)
1053965						80
1053973						90
1053981						100
5402689						110
1054007						120
3278489					32	130
5397271						140
3217081						150

M10; M12: wrench size according to ISO on request

Article#	d ₁	e	k	s	b	L
1137301	M12	21,1	7,5	19	30	45
1137328						50
1313843						55
1054090						60
1313878						65
1054104						70
5402690						(75)
1054112						80
1054120						90
1054139						100
1313894						110
1054147						120
1313916					36	130
1137336						140
1313932						150
1137344						160
1313959						180
3245006						200
3245007					49	220
3245009						240
3245010						260
1313975	M16	26,75	10	24	38	55
1054236						60
1313983						65
1054244						70
1313991						(75)
1054252						80
1054260						90
1054279						100
1314009						110
1054287						120
1314017					44	130
1137352						140
5402691						150
1137360						160
1137379						180
1137387						200
3245011					57	220
3245013						240
3245014						260
3245015						300

M10; M12: wrench size according to ISO on request

Article#	d ₁	e	k	s	b	L
3245016	M16	26,75	10	24	57	360
5402692	M20	33,53	12,5	30	46	65
1054325						70
1314025						(75)
1054333						80
1314033						90
1054341						100
5402693						110
1054368						120
5402694					52	130
1137395						140
1314041						150
1137409						160
1137417						180
1137425						200
1054392	M24	39,98	15	36	54	80
5402696						90
1054406						100
5402697						110
1054414						120
5402698					60	130
5402699						150
5402701	M30	50,85	18,7	46	66	100
5402702						110
5402703						120
5402704					72	130